

# POLIPORT KİMYA SAN. VE TİC. A.Ş. DANGEROUS GOODS HANDLING GUIDE BOOK



DATE: 23.05.2022

EFE HATAY (AUTHORIZED PERSON)

SIGN SEAL

# **TABLE OF CONTENTS**

1. Introduction	6
1.1. General Information About Company	6
1.1.1. Poliport	9
1.1.1.1. Liquid Cargo Terminal	9
1.1.1.2. Dry Cargo Terminal	11
1.1.1.3. A Type Bounded Warehouse	11
1.2. Loading/Discharge, Handling and Storage Procedures Regarding Dangerous Goods Handled and Stored Temporarily on Port	11
2. Responsibilities	14
2.1. Load Responsible	
2.2. Port Operations Responsible	15
2.3. Responsibilities of DGSA	16
2.4. Responsibilities of Third Parties	
3. Rules and Measures To be Followed on Port	16
4. Dangerous Goods Classes, Transportation, Loading/Discharge, Handling, Seperation and Storage	17
4.1. Dangerous Goods Classes	17
4.2. Dangerous Goods Packages	17
4.3. Placards, Plates, Brands and Labels Regarding Dangerous Goods	17
4.4. Dangerous Goods Labels and Packaging Groups	19
4.5. Dangerous Goods Segregation Tables on Ship and Port	19
4.6. Dangerous Goods Segregation Distance and Terms In case of Warehouse	
Storage	
4.7. Dangerous Goods Documents	
Dangerous Goods Handbook      Operational Aspects	21
6.1. Procedures on Day and Night Safely Berthing, Loading/ Discharge, Mooring of Ships Carrying Dangerous Goods	21
6.2. Procedures Regarding Additional Measures According to Climatic Condition During Loading, Discharging and Limbo Operations	
6.3. Procedures on Keeping away Combustible, Flammable and Explosi Materials from Operations creating sparks and Procedures on Spark Crea Equipments Usage at Dangerous Goods Handling and Storage Area	tor
6.4. Procedures on Fumigation, Gas Measurement and Gas Decontamination Operations	22
7. Documentation, Control and Record	22
7.1. Procedures on All Mandatory Documents Related with Dangerous Goods an Supplying, Controlling of These Documents by Competent Person	nd 22
7.2. Procedures on Keeping Dangerous Goods List and Related Other Information	on
7.3. Procedures on Control Operations Regarding Identification Incomi Dangerous Goods Properly, Usage Correct Proper Shipping Name, Certification Packaging, Labeling and Declaration, Safe Loading to Approved Packages or other controls.	ing on,

Transportation Units, Safe Transportation and Reporting Procedures of These Conf Operations	
7.4. Procedures on Supplying Safety Data Sheets (SDS)	.23
7.5. Procedures on Keeping Records and Statistics of Dangerous Goods	.23
7.6. Information on Quality Management System	.25
8. Emergency Situations, Emergency Preparedness and Response	.25
	.25
8.2. Information about Emergency Response Capability and Capacity of Port	.25
8.3. Organization Regarding First Respond to Accidents Involving Dangerous Goods	.26
8.4. Necessary Inside and Outside Notifications In case of Emergency Situations	
8.5. Reporting Procedures of Accidents	.27
8.6. Coordination, Support and Cooperation Method with the Authorities	.27
8.7. Emergency Evacuation Plan for the Evacuation of Ships and Vessels	.27
8.8. Procedures for the Handling and Disposal of Damaged Dangerous Goods a Wastes contamined by Dangerous Goods	.27
8.9. Emergency Practice and Their Records	.28
8.10. Information on Fire Protection Systems	.28
8.11. Procedures for Approval, Control, Test, Maintenance and Availability of Fire Protection System	e .28
8.12. Necessary Mesaures in case of Malfunction of Fire Protection System	.29
8.13. Other Risk Control Equipments	
9. Occupational Health and Safety	.29
9.1. Occupational Health and Safety Measures	.29
9.2. Information about Personal Protection Equipments and Procedures for Usagof These Equipments	
10. Other Aspects	.31
10.1. Dangerous Goods Compliance Certificate Validation	.31
10.2. Responsibilities of Dangerous Goods Safety Advisor	.31
10.3. Aspects for Tranporter/Carrier of Incoming/Forwarded Dangerous Goods b	ру .32
10.4. Aspects for Tranporter/Carrier of Incoming/Shipped Dangerous Goods by	
Sea	.35
10.5. Additional Aspects	

# APPENDIX

1. General Layout of Port	.36
2. General Overview Photos of Port	.37
3. Emergency Contact Points and Contact Information	.39
4. General Layout of the Handling Area of Dangerous Goods	.41
5. Fire Plan of the Handling Area of Dangerous Goods	.41
6. General Fire Plan of Port	.41
7. Emergency Response Plan	.41
8. Plan for Emergency Meeting Points	
9. Emergency Management Diagram	.43
10. Dangerous Goods Handbook	.43
11. Leakage Area and Equipment, Input / Output Drawings for CTU and Packages.	.43
12. Inventory of Ships Provided Service by Port	.43
13. Coordinates of Port Authority Administrative Boundaries, Mooring Places and Maritime Pilots Landing / Boarding Points	.44
14. Marine Pollution Emergency Response Equipments	.44
15. Personal Protection Equipment Usage Map	.45
16. Notification Form for Occurence Involving Dangerous Goods	.45
17. Notification Form for Dangerous Goods Transportation Unit (CTUs) Control Results	.46
18. Other Necessary Appendixes	.46

# **REVISION PAGE**

Item Number		Revision Content	Revision Date	Person		
Number	Number	Content	Date	Name Surname	Sign	
				Garrianio		

### 1. INTRODUCTION

# 1.1. General Information About Company

Poliport provides Bulk Liquid Cargo Storage, Type A General Warehouse and Dry Cargo / General Load Vessels Loading - Unloading services to its customers. Handling of hazardous substances/dangerous goods subject to the IMDG Code is accomplished in Liquid Cargo Terminal. Solid hazardous Cargo-coal and ferrosilicon are handled in Solid Cargo Terminal, and bulk cargo handled varies according to customer demand. Therefore, in this context it is focused on dangerous goods handled in Liquid Cargo Terminal and coal handles in Solid Cargo Terminal.

1	Port Authorized Person Name/Title	Poliport Kimya Sa	an. Ve Tic. A.Ş	<b>5.</b>	
2	Port Authorized Person Contact Information (adress, telephone, fax, e-mail and web page)	Dilovası Organize Sanayi Bölgesi 1.Kısım Liman Caddesi No:07 Dilovası/KOCAELİ 0 (216) 678 56 00, ehatay@poliport.com http://www.poliport.com/			
3	Company Name	Poliport Kimya Sa	an. Ve Tic. A.Ş	i.	
4	City	Kocaeli			
5	Company Contact Information (adress, telephone, fax, e-mail and web page)	Dilovası Organize Sanayi Bölgesi 1.Kısım Liman Caddesi No:07 Dilovası/KOCAELİ 0 262 679 71 00 poliport@poliport.com http://www.poliport.com/			
6	Geographical area of Company Location	Marmara			
7	Port Authority and Contact Details	etails Kocaeli Liman Başkanlığı			
8	Municipality and Contact Details	Kocaeli Büyükşehir Belediyesi			
9	Organized Industrial Zone	Dilovası Organize	Sanayi Bölge	esi	
10	Validity Date of Temporary Operating Permit	31.07.2022			
11	Operating Status of Company	Operating Status of Company  Self-load and Third Party  Third Party		Third Party (X)	
12	Port Authorized Person Name/Surname and Contact Information (adress, telephone, fax, e-mail and web page)	EFE HATAY/General Manager 0 (534) 791 06 25 ehatay@poliport.com			
13	Dangerous Goods Operations Responsible Name/Surname and Contact Information (telephone, fax, e-mail)	ERDOĞAN AKDENİZ/ Terminal and Operations Planning Manager eakdeniz@poliport.com 0 (530) 600 32 02			

14	Dangerous Goods Safety Advisor Name/Surname and Contact Information (telephone, fax, e-mail)	MUSTAFA REVAN/ DGSA mrevan@poliport.com 0 (538) 854 76 11
15	Coordinates of Port	40° 46' 10" K-029° 31' 20" D
16	Dangerous Goods Types handled in Port (MARPOL Appendix-1,IMDG Code, IBC Code, IGC Code, IMSBC Code, Grain Code, TDC Code)	See Section 4.1
17	Dangerous goods handled at the facility (loads other than the IMDG Code, among the cargo types in Article 16, will be written separately. Additional cargo request will be sent to the port authority with Annex-1 form. It will be added to TYER when appropriate)	
18	Classes for cargo handled, subject to IMDG Code	Class 3, Class 6.1, Class 8, Class 9
19	Groups in characteristic table for handled cargo subject to IMSBC Code	Goup B, Group B (and A)
20	Ship types that can be docked	General Cargo Ship Bulk Carrier Petroleum Ship (Crude Oil/ Product Tanker) Chemical Tanker
21	Distance to the highway (kilometer)	TEM 1 km E-5 1,8 km
22	Distance to the railway (kilometer) or connection to the railway (Yes/No)	Company is located within the railway boundaries, but there is no connection.
23	Distance to the Airport (kilometer)	Sabiha Gökçen Airport 32 km
24	Load Handling Capacity of Port (Ton/Year; TEU/Year; Vehicle/Year)	Liquid Cargo Terminal 2.500.000 Ton/Year Dry Cargo Terminal 5.000.000 Ton/Year A Type Bounded Warehouse 500.000 Ton/Year
25	Scrap Handling	No
26	Is there a border crossing? (Yes/No)	No
27	Is there a bonded area? (Yes/No)	Yes

			DRY CARDO TERMINAL LIFTING JACKS						
				BRAND	MODEL	YEAR	CAPACITY (M/T)		
					LIEBHERR	LHM 420	2014	124	
					LIEBHERR	LHM 180	2015	64	
28	Handling equ	quipment and capacit	apacity	SI	ENNEBOGEN	6200 HCC	2012	64	
			SE	ENNEBOGEN	880 EQ	2012	30		
			SE	ENNEBOGEN	870 C	2012	20		
				SE	ENNEBOGEN	870 C	2012	20	
				Sec	e Section 18 fo	r Liquid Carg	o Termina	al.	
29	Storage Tan	k Capacity (m	<sup>3</sup> )		271.827	$m^3$ (Liquid Ca	argo Tern	ninal)	
30	Open Storag	je Area (m²)				172.500 n	$n^2$		
31	Semi-close S	Storage Area	(m²)						
32	CloseStorage Area (m²)				11.500 m²				
33	3 Fumigation Area (m²)					-			
Pilotage Service Provider Name and Contact Information			Ayd Tuz Ana İçe	nmar Shipyard: dıntepe Mah., ( zla/İstanbul adolu Kılavuzlu renköy Mah., Ç 34752, Ataşehi	Guz,in Sok., N ık A.Ş. (Ankas Çayır Cad., No	lo:31, İçn ş)- Pilotaç	ge Services		
35	Is there a Se	curity Plan? (	Yes/No)			Yes-ISPS C	ode		
	Capacity of \	Waste Receivi	ing		Waste T	уре	Сар	pacity (m³)	
36	(Bu bölüm te atıklara göre düzenlenece		ttiği	MARPOL 73/78 APPENDIX-I 16 07 08 Slop				30	
	duzemenece	ikui . j		MARPOL 73/78 APPENDIX-II 16 07 09 Ship Waste			300		
34	34 Dock etc. Area Information								
Dock	No	Length (meter)	Width (meter)		Max water depth (meter)	Minimum water depth (meter)	and le (DW	gest tonnage ngth of ship 'T or GRT- meter)	
Finger Dock (Terminal) East Side		250	12		21	12		000 DWT 200 m	

Finger Dock (Terminal) West Side	250	12	21	9,4	40.000 DWT 200 m
Dock 3 (İzmit Side Finger Dock)	230	40	27	10	100.000 DWT
Dock 4 (İstanbul Side Finger Dock)	450	40	27	10	100.000 DWT
Name of Pipeline (I	f it is availabl	e)	Quantity	Length (meter)	Diameter (inç)
See Section 18. INTERMEDIATE TR	ANSFER PIG	LINES	30	-	6
PIG DOCK LINES			23		6
INTERMEDIATE TRANSFER LINES		2	-	4	
INTERMEDIATE TRANSFER LINES		45	4	6	
TRANSFER LINES		4	-	4	
TRANSFER LINES			12	-	6
TRANSFER LINES			1	-	8
TRANSFER LINES			1	-	14

# 1.1.1. POLIPORT

Owned by Polisan Holding, Poliport was established in 1975 at Dilovası where the plants of the group are located, for providing bulk liquid storage services. Being one of the largest private ports of Turkey today, Poliport provides Bulk Liquid Cargo Storage, Type A General Warehouse and Dry Cargo / General Load Vessels Loading - Unloading services to its customers. Annual handling capacity of Poliport is 7.500.000 (Bulk liquid and solid terminals) tons.

### 1.1.1.1. LIQUID CARGO TERMINAL

Terminal has a capacity of 271.827  $m^3$ the tank capacities ranging between 100 m³ to 9.300 m³. All tanks are made of carbon steel or stainless steel material. According to the properties of stored chemicals, tanks can be coated or modified for heating, cooling or insulation.

All kind of bulk liquid chemicals and petroleum products can be stored in the tanks. Terminal is a bonded area and is appropriate for import and transit business. Poliport is an independent storage terminal and has no involvement with the trading of chemicals.

## **Vessel Loading and Discharge Procedures**

The length of the terminal jetty is 250 meters, it is 12 meter wide, and has a draft changing between 9,9 to 13 meters and suitable for mooring of vessels up to 40.000 DWT. At the jetty 4 vessels can be moored and loaded/discharged at the same time. Transfer operations are carried out with transfer pipelines running from the tank farm to the four jetty manifolds. Transfer operations are carried out with transfer pipelines running from the tank farm to the manifolds. There are product vapor return lines and scrubber systems for product specific transfer operations.

# **Tanker Truck Loading**

Tanker truck loading operations are performed at loading platforms equipped with sprinklers and electronic grounding systems. All tanker trucks are controlled prior to loading in checkpoints. Truck loadings can be done in a closed circuit (with vapor return line) when necessary and can be monitored with computer system.

# **Barge Loading**

Beside bulk chemicals, Poliport also provides fast and reliable barge loading services for bunker supply to transit vessels. Electronic flow meters and computer controlled level control systems are used for precise loading.

# **Waste Reception and Waste Management**

Hazardous chemical wastes which are discharged from vessels and collected during terminal operations – dated 26.12.2004 and numbered 25682, According to the Regulation on Receiving Waste from Ships and Control of Wastes - are packaged, labeled and stored in an appropriate area at the waste reception facilities. All waste is send to waste disposal/re-cycling plants by licensed vehicles. Two distillation units are utilized for recycling of hazardous wastes to reduce waste formation at the source. Poliport has Vessel Waste Reception License (Waste Receiving Facility) and authorized to receive below types of wastes.

### Storage

Customers can monitor their stock quantities and movements through Poliport web site supported with SAP. Each tank has its dedicated ex - proof transfer pumps and dedicated loading and discharging pipelines. Temperatures, levels, densities and vapor pressures in the tanks are monitored through SAAB Radar System from the control room. Storage tank constructions are in compliance with API standards. Each tank is equipped with NFPA compliant, fire protection systems (sprinkler and and foam lines). The number of fire water pumps and the fire water flow capacities are designed according to the worst case scenario.

### **Blending**

Poliport provides automatic in-line blending services for bunker supply to barges.

### 1.1.1.2. DRY CARGO TERMINAL

Its annual handling is 5.000.000 tons. Handling of many types of bulk and general cargo loads including coal, aluminum, steel plate, steel roll, grain is performed.

### 1.1.1.3. A TYPE BOUNDED WAREHOUSE

Poliport warehouses are "A Type General Warehouses" which are under control of Dilovasi Custom Authority within the Custom Act 4458 of Warehouse Regime. Annual storage capacity is 500.000 tons on average with 1/month turnover.

Poliport offers in its "A TYPE" bonded general warehouses the storage and logistic services for product incoming by road to its customer by also providing webtool services in which our customers can easily follow up their stock levels and movements at all times. In our open 172.500  $m^2$  and indoor 11.500  $m^2$ bounded warehouses, various type of materials including general cargo such as ferrous&non-ferrous, mining products, all type of packaged materials as well as flammable and hazardous products can be safely stored.

# 1.2. Loading/Discharge, Handling and Storage Procedures Regarding Dangerous Goods Handled and Stored Temporarily on Port

Poliport consists of Bulk Liquid Cargo Terminal, Type A General Warehouse and Dry Cargo / General Load Terminal. Handling of hazardous substances/dangerous goods subject to the IMDG Code is accomplished in Liquid Cargo Terminal. Solid hazardous Cargo-coal is handled in Solid Cargo Terminal, and bulk cargo handled varies according to customer demand.

In addition, Dangerous goods incoming by road to the site are stored in A type Bounded Warehouse 88. Procedures, Instructions and Forms of Poliport are as follows:

### TERMINAL

PT.001	PROCEDURE FOR PRODUCT DESCRIPTION AND TRACEABILITY
PT.002	PROCEDURE FOR TERMINAL OPERATIONS PLANNING AND APPLICATION
PT.003	PROCEDURE FOR PROCESS CONTROL
PT.004	PROCEDURE FOR TRANSPORTATION, STORAGE, PACKAGING AND SHIPPING
PT.005	SERVICE PROCEDURE
PT.006	PROCEDURE FOR COLOR CODES OF LINE AND EQUIPMENTS
PT.007	TANK AND LINE CLEANING PROCEDURE
PT.009	PROCEDURE FOR SAMPLE STORAGE CONDITIONS AND TIME
PT.010	IMPROPER PRODUCT CONTROL PROCEDURE
PT.011	AGREEMENT PROCEDURE

PT.012	SAFE HANDLING OF LIQUID BULK DANGEROUS GOODS OPERATION PROCEDURE
TT.001	INSTRUCTION FOR TANK TO ROAD TANKER FILLING
TT.002	INSTRUCTION FOR TANK TO SHIP PRODUCT TRANSFER
TT.003	INSTRUCTION FOR TANK TO TANK PRODUCT TRANSFER
TT.004	INSTRUCTION FOR TANK TO ROAD TANKER TDI-MDI FILLING
TT.005	INSTRUCTION FOR CLOSE FILLING AND TANK TO ROAD TANKER PRODUCT TRANSFER
TT.006	INSTRUCTION FOR TANK TO ROAD TANKER HMD FILLING
TT.007	INSTRUCTION FOR SHIP TO TANK HMD TRANSFER
TT.008	INSTRUCTION FOR SHIP TO TANK PRODUCT TRANSFER
TT.009	INSTRUCTION FOR SHIP TO TANK PRODUCT TRANSFER -TDI&MDI
TT.010	SAMPLE STORAGE INSTRUCTION
TT.011	INSTRUCTION FOR STORAGE OF INHIBITOR CONTAINING PRODUCTS
TT.012	INSTRUCTION FOR METHANOL DENATURATION OPERATION
TT.013	INSTRUCTION FOR PIG LINES USAGE
TT.014	DAILY CONTROL INSTRUCTION FOR HMD TANK
TT.015	NEUTRALIZATION OPERATION FOR HMD SPILLAGE
TT.016	PUMP USAGE INSTRUCTION
TT.017	INSTRUCTIONS FOR ENCLOSED FILLING FROM TANK TO TRUCK (ENG)
TT.018	HOSE USAGE AND TEST INSTRUCTION
TT.019	HOSE USING AND TESTING MANUAL_ENG
TT.020	INSTRUCTIONS FOR PRODUCT TRANSFER BUSINESS UNITS
TT.021	BARRELLING OPERATIONS INSTRUCTION
TT.022	SHIPPING INSTRUCTION
TT.023	HMD SAMPLING INSTRUCTION
TT.024	SAMPLING INSTRUCTION
TT.025	TANK CLEANING INSTRUCTION
TT.026	CRANE USAGE INSTRUCTION
TT.027	CLEANING AND ORGANIZATION INSTRUCTION
FPT.002-01.00	SHIP FILE
FPT.002-02.00	TANK OPERATION CARD
FPT.002-03.00	DUTIES AND INFORMATION FORM
FPT.002-04.00	CONTROL FORM FOR TANKS AND LINE BEFORE OPERATIONS
FPT.002-05.00	PRE-SHIP PREPARATION FORM
FPT.002-06.00	PRE-ARRIVAL INFORMATION EXCHANGE FORM_EN
FPT.002-07.00	PRE-ARRIVAL INFORMATION EXCHANGE FORM
FPT.002-08.00	SHIP-SHORE SAFETY CHECK LIST (GEMİ VE SAHİLDE EMNİYET KONTROL FORMU)
FPT.002-09.00	PRE-TRANSFER MEETING FOR LOADING DISCHARGING
FPT.002-10.00	MANIFOLD CARD DELIVERY PROTOCOL
FPT.002-11.00	SHIP OPERATION TANK DETERMINATION FORM
FPT.002-12.00	CUSTOM APPLICATION FOR TANK TRANSFER
FPT.002-13.00	CUSTOM DECLARATION BEFORE UNLOADING
FPT.002-14.00	CUSTOM DECLARATION BEFORE LOADING
FPT.002-15.00	PILOT BERTHING REQUEST
FPT.002-16.00	BARGE- SHORE SECURITY CONTROL FORM
11 1.002-10.00	DANGE SHOKE SECONITI CONTINUE I UNIVI

FPT.002-17.00	CUSTOM DECLARATION BEFORE ISOCONTAINER UNLOADING
FPT.002-18.00	DUTIES AND INFORMATION FORM (FOR PRODUCT TRANSFER TO BUSINESS UNIT)
FPT.002-19.00	CONTROL FORM FOR TDI-MDI LOADING TO ROAD TANKER
FPT.002-20.00	CONTROL FORM FOR HMD LOADING TO ROAD TANKER
FPT.002-21.00	ROAD TANKER LOADING/UNLOADING CONTROL FORM
FPT.002-22.00	MANIFOLD CARD
FPT.002-23.00	PRODUCT ANALYSIS REPORT
FPT.002-24.00	TERMINAL PUMPING LOG FOR DISCHARGING
FPT.002-25.00	TERMINAL PUMPING LOG FOR LOADING
FPT.002-26.00	RECORD FOR TANK DETERMINATION
FPT.002-27.00	NEW EMPTY BARREL CONTROL FORM
FPT.002-28.00	FILLED BARREL CONTROL FORM
FPT.002-29.00	DUTIES AND INFORMATION FORM (FOR METHANOL DENATURATION OPERATIONS)
FPT.003-01.00	PROCESS CONTROL CARD FOR INHIBITOR CONTAINING PRODUCTS
FPT.003-02.00	HOSE PERIODIC CONTROL CARD
FPT.003-03.00	TANKER LOADING PLATFORM MONTHLY CONTROL CARD
FPT.003-04.00	PIER AND EQUIPMENTS CONTROL FORM
FPT.003-05.00	MONTHLY CONTROL FORM FOR HMD TANKI (TANK-5)
FPT.003-06.00	DAILY CONTROL CARD FOR DAILY VALVE
FPT.004-01.00	FILLING AND LOADING ORDER
FPT.004-02.00	SAMPLE LABEL
FPT.004-03.00	A TYPE GENERAL BOUNDED WAREHOUSE PRODUCT DELIVERY DOCUMENT
FPT.011-01.00	POLIPORT STORAGE AGREEMENT_DRAFT
FPT.011-02.00	STORAGE AGREEMENT_DRAFT_EN

# **BOUNDED WAREHOSE**

PA.001	BOUNDED WAREHOUSE SERVICES PEROCEDURE
PA.002	BOUNDED WAREHOUSE PRODY IN / OUT PROCEDURE
PA.003	SAFE HANDLING OF PACKAGED DANGEROUS GOODS OPERATION
	PROCEDURE
TA.001	BOUNDED WAREHOUSE PRODY IN / OUT INSTRUCTION
TA.002	INSTRUCTION FOR UNLOADING/LOADING OPERATIONS INSTRUCTION
FPA.002-01.00	STATUS DETERMINATION RECORD
FPA.002-02.00	DELIVERY DOCUMENT – A TYPE GENERAL BOUNDED WAREHOUSE
FPA.002-03.00	LOADING ORDER-SAP
FTA.002-01.00	TRUCKS SAFETY CHECKLIST
FTA.002-02.00	BOUNDED WAREHOUSE CONTROL CARD

# DRY CARGO TERMINAL

PL.001	PORT SERVICES PROCEDURE
PL.002	PORT CONTRACTORS SERVICES PROCEDURE

PL.003	SAFE HANDLING OF HAZARDOUS SOLID BULK LOADING OPERATION PROCEDURE
TL.001	PORT OPERATIONS INSTRUCTION
TL.002	WEIGHING MACHINE INSTRUCTION
TL.003	INSTRUCTION FOR CHECKER
TL.004	INSTRUCTION FOR CRANE DRIVER
FPL.001-01.00	PORT SERVICES AGREEMENT
FPL.001-04.00	CUSTOM APPLICATION LETTER
FPL.001-05.00	PORT DOCKING / SHIFTING DEMAND
FPL.001-06.00	SUBCONTRACTOR WORK REQUEST
FPL.001-07.00	PORT SERVICES INFORMATION DOCUMENT
FPL.001-08.00	SHIP FILE
FPL.001-10.00	LOADING UNLOADING CHECK MARK
FPL.001-11.00	LOADING UNLOADING REPORT
FPL.001-12.00	BILLING REPORT
FPL.001-13.00	WEIGHING LIST
FPL.001-14.00	PIERS PLANNING SCHEDULE
FPL.001-15.00	SHIFT REPORT
FPL.002-02.00	HEALTH, SAFETY AND ENVIROMENTAL POLICIES FOR TRANSPORTATION COMPANIES

### 2. RESPONSIBILTIES

According to the Regulation on Maritime Transport of Dangerous Goods and Loading Safety, dated 14.11.2021 and numbered 31659, Part 3 (Responsibilities and Training):

# 2.1. Load Responsible

Here Load (Dangerous Goods) Responsible means shipper, receiver, agent and transportation commission agent. Responsibilities for the coastal facility are specified in 2.2 respectively.

- a) He prepares all necessary information, certificate, documents and provides that these documents are close to dangerous goods during transportation operations.
- b) He ensures classification, identification, packaging, labeling, placarding of dangerous goods in full compliance with the regulations.
- c) He ensures safe loading of dangerous goods to approved packages or other transportation units, safe transportation and discharging.
- ç) He provides training about risks of dangerous goods transported by sea, safety measures, safe operation, emergency measures, security and related issues. Also he keeps records regarding these trainings.
- d) He ensures the necessary safety measures for dangerous substances posing health or environmental risk.

- e) He provides necessary information and support in case of emergency situation and accidents.
- f) In his area of responsibility, He reports dangerous goods accidents to authority.
- g) He presents information and documents to competent person during audits.

## 2.2. Port Operations Responsible

Here Port Operations Responsible means person who organises dangerous goods operations. At this point, Liquid Cargo Terminal Manager and Terminal Operations Manager fulfill the following responsibilities. Please see job description for details. On the other hand, Dangerous Goods incoming by road are stored at Bounded Warehouse 88. For Bounded Warehouse 88 and Dry Cargo Terminal responsible is Bounded Warehose Manager/Dry Cargo Terminal and Operations Planning Manager. Those responsible for direct related to these persons are the Operation Officer at the Liquid Cargo Terminal and the Shift Supervisors at the Dry Cargo Terminal. See job descriptions for information.

- a) He ensures berthing, mooring of ships in a safe manner.
- b) He ensures safe input-output system between ship and shore.
- c) He provides training for staff who work in loading, discharging and handling operations.
- ç) He ensures that dangerous goods are transported, handled, segregated and stored, checked in a safe manner by qualified, trained personnel who takes safety measures.
- d) He prepares all necessary information, certificate, documents and provides that these documents are close to dangerous goods during transportation operations.
- e) He keeps an updated list of all dangerous goods in the business field.
- f) He provides training about risks of dangerous goods, safety measures, safe operation, emergency measures, security and related issues. Also he keeps records regarding these trainings.
- g) He controls all documents on the purpose of proper classification, certification, packaging, labeling, decleration, safe loading of all dangerous goods to approved packages or other transportation units, safe transportation.
- ğ) He ensures the necessary safety measures for dangerous substances posing health or environmental risk and reports these situaitons to the authority.
- h) He makes arrangements for emergency situations and informs people about all these issues.
- 1) In his area of responsibility, He reports dangerous goods accidents to authority.

- i) He provides necessary information and support to competent person during audits.
- j) He performs dangerous goods related activities in dock, warehouse was built in accordance with this business.
- k) He equips docks dedicated for loading and discharging of bulk petroleum and petroleum products with proper equipments.
- I) He provides transportation of dangerous goods that couldnt be stored in the business field to the outside of the facility.
- m) Ships carrying dangerous goods are not sidled without permission from the port authority.
- n) He determines storage area according to the rules for separation and stacking containers carrying dangerous goods and takes measures for fire, environmental and other issues. He takes measures for loading, discharging or transshipment with ship personnel especially for dry season. Flammable materials are kept away from sparks forming operations and spark forming equipments can not be operated in dangerous goods handling areas.
- o) He prepares emergency evacuation plan fort he evacuation of ships and vessels.

# 2.3. Responsibilities of Dangerous Goods Safety Advisor

Obligation to employ DGSA for sea transport begins as of 2018. An employee is DGSA for road transport, by railway trasport (RID) and by sea transport (IMDG CODE). See job description of Dangerous Goods Safety Specialist for details.

# 2.4. Responsibilities of Third Parties

Responsibilties are designated under PH.045 Subcontractor Management Procedure. Employees of Third Parties such as agent, Customs officials, Inspection Agency, Sanmar Shipyards – Towage Services and Anadolu Kılavuzluk A.Ş. (Ankaş)- Pilotage Services, Mare Sea Cleaning Companies, Shipping Companies should comply with safety rules and related regulations. These rules are explained at the entrance of site.

### 3. RULES AND MEASURES TO BE FOLLOWED ON PORT

According to Regulation about Carriage of Dangerous Goods by Sea Article 12 following measures are taken in Poliport:

- a) Port Managers provides transportation of dangerous goods that couldnt be stored in the business field to the outside of the facility.
- b) Dangerous Goods are properly packaged and these packages are labelled with labels that include risk information to identify the hazardous materials and safety precautions.

- c) Personnels wear proper protection equipment that is suitable for physical and chemical properties of dangerous goods during loading, discharging and storage operations.
- ç) Personnel who is responsible for fighting with fire in case of any accident during handling dangerous goods should be equipped with a fireman's outfit and fire extinguishers, first aid units and equipments should be ready to use.
- d) Port Managers prepare emergency evacuation plan for evacuation of ships and submit this plan to the Port Authority for approval.
- e) Port Managers ara responsible for taking fire, security and safety measures.
- g) Personnel who does not have training certificate can't enter to the area where dangerous goods are handled and can't work such areas.

# 4. DANGEROUS GOODS CLASSES, TRANSPORTATION, LOADING/DISCHARGE, HANDLING, SEPERATION AND STORAGE

# 4.1. Dangerous Goods Classes

Dangerous Goods List handled at Poliport Liquid Cargo Terminal is communicated to relevant authorities.

In addition, Coal with not having the UN Code is handled at Dry Cargo Terminal. Dangerous goods transported by road are stored in Bounded Warehouse 88 where is affiliate of Poliport. These are communicated to relevant authorities.

These products are carried in accordance with ADR. Bounded Warehouse 88 is not covered by the Hazardous Material Conformity Certificate. Hazardous goods packed are not handled in the coastal facility.

### 4.2. Dangerous Goods Packages

Poliport Coastal facility does not have container transportation, packaged hazardous material is not handled.


# **4.3.** Placards, Plates, Brands and Labels Regarding Dangerous Goods Packaged dangerous goods are not shipped to Poliport Liquid Cargo Terminal by sea and are not shipped from Poliport Liquid Cargo Terminal. These are mentioned in Section 4.2. According to IMDG Code and ADR labeling should be as follows:

- Packaging must bear the marking of the UN standards,
- Danger signs of transported products should be included,
- Directional arrows must take place outer packaging of liquid product,
- If product is dangerous for the environment, dangerous sign should take place on packaging.


- UN number and proper shipping name of dangerous goods should take place on packaging.

According to ADR It should be provided to control road tanks that transport dangerous goods from Poliport to Product owner or Customer of Product Owner. According to ADR labeling of road tanks should be as follows:

- Orange plate that shows UN number of dangerous goods and hazard characteristics should take place on,
- Danger signs should be placed on 3 sides of the tank.



Dangerous goods transported by road to Bounded Warehouse 88 has the following marking criteria:



# 4.4. Dangerous Goods Labels and Packaging Groups

Dangerous Goods List handled at Poliport Liquid Cargo Terminal and their labels and packing groups are communicated to relevant authorities.

In addition, dangerous goods transported by road are stored in Bounded Warehouse 88 where is affiliate of Poliport. Bounded Warehouse 88 is not covered by the Hazardous Material Conformity Certificate. Hazardous goods packed for sea transportation are not handled in the coastal facility. Dangerous goods transported by road and stored Bounded Warehouse 88 are communicated to relevant authorities.

Coal is a dangerous load with self-burning capability. There is no temporary storage at the coastal facility. Product belonging to the customer is transported by road. It does not have an UN Number mentioned in IMSBC code, but causes oxygen depletion in cargo area, has igniton and Water-based warm-up feature. Therefore, it must be stored away from high temperature source, moisture and separately from dangerous substances of Classes 4 and 5.1. These information and the following information must be transferred to the customer: The load of more than 55 degrees including the coal fragments is not shipped and ventilated before shipment. Ship must have Fire-resistant cargo compartments and gas measuring equipment (methane, carbon monoxide, oxygen). The MSDS for the hazard should be requested from the customer. There are no dangerous classes in the MSDSs requested for coal handled at the coastal facility.

# 4.5. Dangerous Goods Segregation Tables on Ship and Port

There is no stacking operations of dangerous goods at the port. However, following stowage plan and cleaning information are requested from each ship:

											AGE PLAN	(ARR)									
Shi	n's Name: M/T PORT: GEBZ	ORIE	NTAL	FREES	IA					(Delete To be submitted	as applicable) las complete à	when require	ed			Voyage )	No. :	_	14-Dec	-15	_
Tar	kwise-Grade/Metr	ic tons	Logdi	ny port/l	Discharge p	ert				1211.742	SP 1211	50 14	r   1	210,793	3P   338.63	25		2.681	1P 638.		
100		90	ETHAN	19,620	8F 12	10.696	7.0	CHANG	9.283 6P	CASTOR	MEG		S. THAN				ETHAN		571.314 N		1
	CASTOR 280,969 MT 297,699 M <sup>3</sup> 89,1%	57	3,369 3,277 90,4°	MT MP	1,241.285 1123.843 92.4 SHUB/	MT Ms <sup>3</sup>	10	01.71 KHICTEN	MT 1,07-	4.216 MT 1.182 M <sup>2</sup> 93.9% KDL/MARSEI	1,227,916 1111,739 91,8% SHUB/ G	MT M3	KYDE KYDE	MI M		1	865.278 1103.671 91.19 KRCH/R	M' WNA	605.334 N 94.7% KDL/MAR	a*	P
-	M-XYLENE	-	SBC		SHUB		STREET, STREET,	SBC	43 N. N. C. C. C. C.	M-XYLENE	HEXAN	E I	SB		DIDP		ETHAN		MEG	-	
	ALATELINE.	55	CAST 0.930 1.950 88.25	OR MT M³	ETHA 849.395 1071.932 89.3 KRCH/I	NOL MT At <sup>3</sup>	29	MEC 6.432 5.547 90.35 SHURF	MT 1,21 M* 1101 5 GBZ	MEG 6.728 MT 1.610 M <sup>3</sup> 91.9% SHUB/GBZ	CASTO 1,032,629 1113,309 93,1% KDL/MAJ	MT M <sup>1</sup> ISEI	FILLO 8 0.881 (10) 818 90 6.8CH	300 40 64 8384	MEG 327,123 296,173 90,7% SHUB/ GE	MT M <sup>3</sup>	857.965 1094.343 91.34 KRCH/R	MT M' CVNA	624.762 1 965.651 9 90.9% SHUB/ G CRDL 48	MT u <sup>1</sup> BZ	$^{\rm S}/$
	M-XYLENE		PLYI		SB			HEXA		SBO 1198.307	58 1193		SE SE		35 326.5	22		97,981	1S 622	.015	/
105	325,673	98	620	.058	88 11	97.209	78	32	7.176 68	1198,507	188 1174	1.00		15111545	1901						
Tot	al capacity in 100	% volu	me : I	6,563.83	6 M J								_			-	1000 - 10	1 04	Figure	Chiefe	Figure
	Cargo		argo Customer		Neminated Quantity		Option		Max	Loadable	S.G. / TEMP.	Corr. Factor	tor L/Port	/Port	D/Port	Stowage		Dir Edine 2		Ships	rigue
ME	G		EQUA	TE	500	00	MAX/	2% LCO	5000,000 MT	5290.000 MT	1.1045 35		SH	UAIBA	GEB2E	6S,	75, 5P,	4969	.811 MT	4964.3	246 MT
CA	STOR		ARKE	MA	350	00	2%	MOLCO	3570.000 MT	3707.000 MT	0.9438 42		К	ANDLA	GARSEILLES	95,	5S, 6P,		3500.000 MT 3500.049		
NE	T ETHANOL	-	TSUB	TEUT	300	00	55.7	MOLCO	3150 000 MT	3263.000 MT	0.7840 25			RACHI	RAVENNA		8S, 9P		300 MT		007 MT
	HANOL-B		SILCO		200				2040.000 MT	2110.000 MT	0.7840 25		1GA	RACHI	RAVENNA	496	, 7P		815 MT		303 MT
DA	IIMWOD D	٠,	14.000	TOTAL			1		13760,000 MT	14370 MT			300	.0.1.00		-		1349	4,926 MT	-	
	Cergo	UN	Pol. Cat.	IMOG	Comp. Group	MP	FP	BP	Viscocity	Pre-wash	N2 Ellanket / Purging	Heating Ro	t L	Heating V D		Rei Rei	9.	scibility NDA	Fire Ex		Max Fi
MIG		NA.	Y	NA:	20	-13	111	197	20/20C	NO	YES	NO	NO			ND ND		NDA	Daviden , 999, Fee		98%
CAST		NA.	Y	NA	34	-10	229	313	232/40C	YES	NO	YES	30	30 4		ND ND		NDA	Switzen, COS, Free		98%
ETHO	MOL	1170	2	3.2	20	-114	12	78	1.19/20C	NO	NO	NO	NO	INO W	300	- AL	-				
													_			-					
				100000																	
	Port Rotation			TURKE							- CHILDY	***									
			RR	DEF						- /	1	11.									
Draft	Fore		.32	6.09						10	6. 1	4									
å	Afi		.18	7.19						(*)	1) /										
	Mean		.75	6.64						~ 1	)	.01									
	Trim		.86	1.10							C	1.5/						11000		eroo.	A F PARCE
	Displacement	18	,548	18,53	12			TON	100	THAR OO	SHWE	1 01				Annexa	d by Master	. CA	PT SAW F	11007	AUNG

# LAST THREE CARGO AND CLEANING METHOD

	Turkey	RGO .		VOY, No. DATE:	14-Dec-15
COURSE	LOAD CARGO	LAST CARGO	2nd LAST CARGO	and LAST CARGO	POARTO.
	Caster Oil	Transformer Oil	NEXBASE 3-043	PYGAS	5US-376L
-			NEXBASE 3 043	Mono Ethylene Glycal	505-3161
-			Caradol 44/10	NEXBASE 3043	SUS-316L
14			NEXBASE 3043	PYGAS	BUS-316L
- 41			CORE 160	Sunflewer Oil	505-310L
1	Mono Pflydere Olycol		NEXBASE 3043	CORE 2500	808-3160
1			White Spirit		BUB-316L
-	- Free		Hoxane	NEXBASE 3043	SU5-310L
and the latest section of	See and the contract of	Hexane	NEXBASE 3060	PYGAS	81/8-3161
-			NEXBASE 3000	PYGAS	508-2160
_			NEXBASE 3043	PYGAS	SUS-316L
1			Xylene	NEXBASE 3043	80,9-3161
1			Toluena		BUS-5164
0	The second secon		NEXBASE 3050		SU5-316L
_			NEXBASE 3043		SUS-316L
1		Soyabean Oil	White Spirit		8US-316L
1	Manual Control of the		Hexane		505-3160
P			NEXBASE 3043	The second secon	808-3160
1			NEXBASE 3043	PYGAS	BUS-3161
-	30,000,000	Mixed xylene	PYGAS-	Acatone	SUS-3161
	Gebze P H H J J C C C J J	P Castor Oil P Mono Ethylene Glycol J Ethannol H Ethannol J Ethannol J Ethannol C Mono Ethylene Glycol C Castor Oil C Castor Oil C Castor Oil J Mono Ethylene Glycol C Castor Oil J Mono Ethylene Glycol J Ethannol C Mono Ethylene Glycol J Ethannol C Mono Ethylene Glycol J Ethannol D Mono Ethylene Glycol J Ethannol C Mono Ethylene Glycol J Ethannol D Mono Ethylene Glycol J Ethannol C Mono Ethylene Glycol J Ethannol	Gebze, Turkey 1) PREVIOUS CARGO LAST CARGO Y Caster Oil Transformer Oil P None Ethylene Glycol Caradol 4898 J Ethermol Soyabean Oil H Ethermol Caradol 5P3048 Oi-bao decyl phthelate J Ethermol Soyabean Oil J Ethermol Soyabean Oil J Ethermol Soyabean Oil C Mone Ethylene Glycol Di-lea decyl phthelate C Caster Oil Mixed xylene C Caster Oil Mixed xylene J Mone Ethylene Glycol Soyabean Oil J Ethermol Soyabean Oil C Mone Ethylene Glycol Soyabean Oil J Ethermol Soyabean Oil C Mone Ethylene Glycol Hexane D Mone Ethylene Glycol Soyabean Oil J Ethannol Soyabean Oil J Ethannol Soyabean Oil J Ethannol Soyabean Oil J Ethannol Soyabean Oil J Ethannol Soyabean Oil J Ethannol Soyabean Oil J Ethannol Soyabean Oil P Caster Oil Polyol 1188 C Gaster Oil Mixed xylene	Gebze, Turkey 1) PREVIOUS CARGO LAST CARGO LAST CARGO Y Castor Oil Transformer Oil NEXBASE 3043 P More Ethylene Glycol Caradol 4806 NEXBASE 3043 J Ethannol Soyabean Oil Caradol 4416 H Ethannol Caradol SP3045 NEXBASE 3043 Oi-bao decyl phtholate CORE 160 J Moreo Ethylene Glycol Di-lao decyl phtholate NEXBASE 3043 J Ethannol Soyabean Oil White Spirit J Ethannol Soyabean Oil Havane C Moreo Ethylene Glycol Havane NEXBASE 3060 C Castor Oil Mixed xylene NEXBASE 3060 C Castor Oil Mixed xylene NEXBASE 3060 J Moreo Ethylene Glycol Soyabean Oil Xylene J Ethannol Soyabean Oil Tolluene G More Ethylene Glycol Haxane NEXBASE 3060 J Ethannol Soyabean Oil Tolluene G More Ethylene Glycol Haxane NEXBASE 3060 D Moreo Ethylene Glycol Soyabean Oil Tolluene G Moreo Ethylene Glycol Soyabean Oil Tolluene G Moreo Ethylene Glycol Soyabean Oil Tolluene G Moreo Ethylene Glycol Soyabean Oil Tolluene G Moreo Ethylene Glycol Soyabean Oil Tolluene G Moreo Ethylene Glycol Soyabean Oil Tolluene G Moreo Ethylene Glycol Soyabean Oil Tolluene G Moreo Ethylene Glycol Soyabean Oil Tolluene G Moreo Ethylene Glycol Soyabean Oil NexBASE 3060 D Moreo Ethylene Glycol Soyabean Oil NexBASE 3060 D Moreo Ethylene Glycol Soyabean Oil NexBASE 3060 D Moreo Ethylene Glycol Soyabean Oil NexBASE 3060 D Moreo Ethylene Glycol Soyabean Oil NexBASE 3060 D Moreo Ethylene Glycol Soyabean Oil NexBASE 3060 D Moreo Ethylene Glycol Soyabean Oil NexBASE 3060 D Moreo Ethylene Glycol Soyabean Oil NexBASE 3060 D Moreo Ethylene Glycol Soyabean Oil NexBASE 3060 D Moreo Ethylene Glycol Soyabean Oil NexBASE 3060 D Moreo Ethylene Glycol Soyabean Oil NexBASE 3060 D Moreo Ethylene Glycol Soyabean Oil NexBASE 3060 D Moreo Ethylene Glycol Soyabean Oil NexBASE 3060 D Moreo Ethylene Glycol Soyabean Oil NexBASE 3060	Gebze, Turkey 1) PREVIOUS CARGO LOAD CARGO LOAD CARGO LOAD CARGO Transformer Oil NEXBASE 3043 PYGAS P More Ditylere Glycel Caradel 4006 NEXBASE 3043 H Ethernol Seyabsen Oil Caradel 4416 NEXBASE 3043 H Ethernol Caradel 59345 NEXBASE 3043 PYGAS Di-iso decyl phthelate CORE 160 Surflewer Oil J More Ethylere Glycel Di-iso decyl phthelate NEXBASE 3043 CORE 2500 NEXBASE 3043 NEXBASE 3043 NEXBASE 3043 CORE 2500 NEXBASE 3043 NEXBASE 3043 NEXBASE 3043 CORE 2500 NEXBASE 3043 NEXBASE 3043 NEXBASE 3043 NEXBASE 3043 NEXBASE 3043 NEXBASE 3043 NEXBASE 3043 NEXBASE 3043 NEXBASE 3043 NEXBASE 3043 NEXBASE 3043 PYGAS C Castor Oil Mised xylene NEXBASE 3043 PYGAS J More Ethylere Glycel Soyabsen Oil Xylene NEXBASE 3043 PYGAS J Ethennol Soyabsen Oil Toluene NEXBASE 3043 PYGAS C More Ethylere Glycel Hexane NEXBASE 3043 NEXBASE 3043 NEXBASE 3043 PYGAS D More Ethylere Glycel Hexane NEXBASE 3043 NEXBASE 3043 NEXBASE 3043 PYGAS D More Ethylere Glycel Hexane NEXBASE 3043 NEXBASE 3043 NEXBASE 3043 PYGAS D More Ethylere Glycel Hexane NEXBASE 3043 NEXBASE 3043 PYGAS D More Ethylere Glycel Soyabsen Oil Nexbase 3043 NEXBASE 3043 PYGAS D More Ethylere Glycel Soyabsen Oil Nexbase 3043 PYGAS D More Ethylere Glycel Hexane NEXBASE 3043 PYGAS D More Ethylere Glycel Soyabsen Oil Nexbase 3043 PYGAS D More Ethylere Glycel Soyabsen Oil Nexbase 3043 PYGAS D More Ethylere Glycel Soyabsen Oil Nexbase 3043 PYGAS D More Ethylere Glycel Soyabsen Oil Nexbase 3043 PYGAS D More Ethylere Glycel Soyabsen Oil Nexbase 3043 PYGAS D More Ethylere Glycel Soyabsen Oil Nexbase 3043 PYGAS D More Ethylere Glycel Soyabsen Oil Nexbase 3043 PYGAS D More Ethylere Glycel Soyabsen Oil Nexbase 3043 PYGAS

### 2) CLEANING METHOD

C 1) Butterworthing with cold sea water 2 Cyl 2) Butterworthing with yourn Fresh water (50C) 2 Cyl 3) Draining of tank, line and purity Ventilation until oder free and drying/mosping	H 1) Butterworthing with cold see water 2) Butterworthing with hot see water (BCC) 3) Flashing with feeth water 4) Craining of tank, line and pump Ventilation until odor free and strying/mapping	4 Cyl 2 Cyl
D 1) Butterworthing with cold see water 2 Cyl 2) Flushing with fresh water 3) Ossining of tank, line and pump Ventilation until odor free and drying/mosping	p 1) Butterworthing with warm warm (50C)sea water 2) Flushing with fresh water 3) Draining of tank, line and pump 4) Vantilation until odor free and drying/mosping	2 Cyl
1	Y	

Loading operations are decided in accordance with this information. Ships are controlled by relevant surveillance company before berthing and conformity certificate is requested (Tank Cleaning Certificate). The ship that does not have cleaning certificate is not allowed to be landed.

# 4.6. Dangerous Goods Segregation Distance and Terms In case of Warehouse Storage

Poliport Liquid Cargo Terminal does not have warehouse storage. However, the distance between the tank is designed in accordance with relevant standards and planning of dangerous goods in the tank are made according to hazardous

properties. In the same way products dangerous goods in bounded warehouse are stored in accordance with the storage matrix.

Bulk coal in the dry cargo terminal is shipped directly with the vehicles.

## 4.7. Dangerous Goods Documents

Necessary documents for dangerous goods handled in Liquid Cargo Terminal are listed in FPT.002-01.00 Ship File. For Dry Cargo Terminal, T required documents are stated in the FPL.001-08.00 Ship File. Refer to TA.001 Bounded Warehouse Input / Output Instruction for Bounded Warehouse.

### 5. DANGEROUS GOODS HANDBOOK

Available handbok includes the information on hazardous substances, first aid, points to be considered at port under the Life Saving Rules title. Refer to DT.011 Ship Operations Manual.

### 6. OPERATIONAL ASPECTS

# 6.1. Procedures on Day and Night Safely Berthing, Loading/Discharge, Mooring of Ships Carrying Dangerous Goods

Operations are carried out according to PL.001 Port Services Procedure, TL.001 Port Operation Instructions, FPT.002-01.00 Ship File, FPT.002-08.00 Ship and Shore Safety Checklist, FPT.002-16.00 Barge-Shore Safety Checklist that are linked to PT.002 Terminal Operation Planning and Implementation Processes Procedure. Ships are not allowed to berth at night. In addition, Refer to DT.002 Port Information Manual for Tankers.

# 6.2. Procedures Regarding Additional Measures According to Climatic Conditions During Loading, Discharging and Limbo Operations

Operations are carried out according to PL.001 Port Services Procedure, TL.001 Port Operation Instructions, FPT.002-01.00 Ship File, FPT.002-08.00 Ship and Shore Safety Checklist, FPT.002-16.00 Barge-Shore Safety Checklist that are linked to PT.002 Terminal Operation Planning and Implementation Processes Procedure.

6.3. Procedures on Keeping away Combustible, Flammable and Explosive Materials from Operations creating sparks and Procedures on Spark Creator Equipments Usage at Dangerous Goods Handling and Storage Area

Refer to PH.PPOÇ.EK POLİSAN HOLDİNG OPERATION MANUAL FOR FLAMMABLE - EXPLOSIVE ENVIRONMENTS and PH.043 EKED PROCEDURE, TH.026 HOT WORK INSTRUCTION, TH.045 WORK PERMIT INSTRUCTION. No hot work is done during hazardous material handling.

# 6.4. Procedures on Fumigation, Gas Measurement and Gas Decontamination Operations

Refer to TH.025 TANK CLEANING INSTRUCTION, TH.024 INSTRUCTION FOR ENTRANCE TO THE CLOSE SPACES and FTH.024-01.00 PERMIT FORM FOR ENTRANCE TO THE CLOSE SPACES for other operational controls. In addition, as mentioned Section 4.5, stowage plan and cleaning certificate is requested from ship and added to the ship file.

Ships are controlled by relevant surveillance company before berthing and conformity certificate is requested (Tank Cleaning Certificate). The ship that does not have cleaning certificate is not allowed to be landed.

### 7. DOCUMENTATION, CONTROL AND RECORD

# 7.1. Procedures on All Mandatory Documents Related with Dangerous Goods and Supplying, Controlling of These Documents by Competent Person

Controls are carried out according to PL.001 Port Services Procedure, TL.001 Port Operation Instructions, PT.002 Terminal Operation Planning and Implementation Processes Procedure. On the other hand, Necessary documents and information for dangerous goods transported from Liquid Cargo Terminal Poliport and Boundary Warehouse 88 by road are listed in control forms mentined in Section 10.3.

# 7.2. Procedures on Keeping Dangeorus Goods List and Related Other Information Regularly

For each product to be stored, documents related with this product are requested from product owner. One of these documents is Material Safety Data Sheet of Product. After MSDS examined, classification information is added to the SAP table about transportation, ZPOL\_MM\_UN\_SINIF. Control of MSDS is carried out at 3 years intervals and up to date product MSDS is required from the owner. This list is kept up to date.

7.3. Procedures on Control Operations Regarding Identification Incoming Dangerous Goods Properly, Usage Correct Proper Shipping Name, Certification, Packaging, Labeling and Declaration, Safe Loading to Approved Packages or other Transportation Units, Safe Transportation and Reporting Procedures of These Control Operations

For each product to be stored, documents related with this product are requested from product owner and samples are taken under the supervision by inspection officers. One of these documents is Material Safety Data Sheet of Product. After MSDS examined, classification information is added to the SAP table about transportation, ZPOL\_MM\_UN\_SINIF. All operations related with transport is carried out in

accordance with this information. These products transported as bulk are sent to the customer of product owners by road. This process is mentioned in PH.063 CHEMICAL MANAGEMENT PROCEDURE and TH.014 GENERAL SAFETY INSTRUCTIONS FOR ROAD TANKERS AND TRUCKS.

## 7.4. Procedures on Supplying Safety Data Sheets (SDS)

Documents related with products to be stored are requested from product owner. According to PT.011 CONTRACT PROCEDURE, If product is stored for the first time in Poliport Liquid Cargo Terminal; product safety data sheets, product quality report indicating the physical and chemical characteristics, the product storage standards are requested from product owner and these information is shared with ralted departments. In addition to the existing storage conditions Necessary infrastructure works are determined. Product owner is informed about these works.

# Preparation Before Handling Dangerous Goods

- (1) Planning and preparation related to the handling and temporary storage of the dangerous good that are coming to our coastal facility are made by taking into consideration the information that is stated in the preliminary notification and the safety data sheet and the related personnel are informed.
- (2) The responsible department in our coastal facility asks for the safety data sheet of the dangerous goods, it takes the measures to be taken for first aid and emergency preparedness and the safety data sheet for handling and temporary storage applications into the account. The safety data sheet is prepared by safety data sheet makers and the safety data sheets that do not meet these requirements are not accepted by our coastal facility.

# 7.5. Procedures on Keeping Records and Statistics of Dangerous Goods

Necessary records regarding dangerous goods handling in Liquid Cargo Terminal are kept with the documents required in FPT.002-01.00 Ship File. Refer to TA.001 Bounded Warehouse Input / Output Instruction for Bounded Warehouse. Although dangerous goods are not handled in Dry Cargo Terminal, necessary records are kept in FPL.001-08.00 Ship File.

In addition, all other records related with annual handling information and products are monitored by the module on the SAP system.

### **Dangerous Cargo Notification**

Before the dangerous goods arrive at the coastal facility, our coastal facility is informed by cargo respective party about the dangerous goods that come to the coastal facility by road or rail. The notices should include the following information and documents:

The Notices for loads under the IMSBC Code cover the following information:

- 1) Operation type,
- 2) Port of freight,
- 3) Shore facility to be loaded or evacuated,
- 4) Existence of the safety data sheet,
- 5) UN number if available,
- 6) Load group,
- 7) Bulk cargo shipment name,
- 8) Warehouse number on board,
- 9) Stack factor,
- 10) Quantity,
- 11) Final Buyer Company,
- 12) Final buyer firm tax number.

In the scope of IBC Code and MARPOL 73/78 Annex-I Notices of the products include the following information:

- 1) Operation type,
- 2) Port of freight,
- 3) Shore facility to be loaded or evacuated,
- 4) Existence of the safety data sheet,
- 5) Load name,
- 6) Tank number on ship,
- 7) Flash point if available,
- 8) Quantity,
- 9) Final Buyer Company,
- 10) Final buyer firm tax number.

# Notification Storage:

(1) The notifications that are made to our coastal facilities shall be kept in physical or electronic environment for 3 years and shall be made available for the inspections of the General Directorate of Dangerous Goods and Combined Transport or the related port authority.

# 7.6. Information on Quality Management System

Poliport has ISO 9001 Quality Management System. Liquid chemical storage and liquid chemical; It covers the operations of transferring from ship to tank, from tank to ship, from tank to barge, from tank to tank, from tank to land tanker and from ISO tank container to land tank, warehouse services and loading and unloading of general cargo products. As a result of the audit, it has proven that it has met the ISO 9001:2015 conditions.

# 8. EMERGENCY SITUATIONS, EMERGENCY PREPAREDNESS AND RESPONSE

# 8.1. Procedures on Intervention to Dangerous Goods Posing Health and/or Environmental Risk and Intervention to Hazardous Situations Caused by Dangerous Goods

Refer to PH.034 Accident Management Procedure, PH.035 Environmental Activities Management Procedure and PP.ADPEK.01 Emergency Plan. In addition, We also work with MARE Sea Cleaning company in case of spills.

# 8.2. Information about Emergency Response Capability and Capacity of Port

There are approximately 2 Doctor, 4 Health Personnel, 77 First Aid Personnel in Polisan Holding Dilovası location.

Emergency Response Team (ADME) is a team of volunteers, as determined by the Facility manager, OHS Department Manager and Site Doctor. Emergency Response Team responds all fire and other emergency situations in Polisan Site area by selecting appropriate method. ADME personnel work together with OHS staff as team in all emergency and recovery operations. This team participates in weekly, yearly refreshing training.

ADME team members have professional equipments to respond fire and spill and these equipments are kept at ADME room in the site area. ADME personnel checks his personal protective equipments that registered in his name once a week and signs ADME Personal Protective Equipment Control Form. These equipments are:

ADME EQUIPMENTS	
Radiotelephone	
Megaphone	
Fire Hose	
Lances and nozzles	
Backup foam concentrate	
Extended safety belt	
Air tube breathing apparatus	

Chemical resistant gloves
Nomex firemen clothing
Heat-resistant boots
Tychem chemical clothing
Spill response kit
Gas detector (drager pomp)
Dregaer Tubes( for different chemicals )
Ex lighting apparatus

There is more information about First Aid and ADME teams in Emergency Plan.

# 8.3. Organization Regarding First Respond to Accidents Involving Dangerous Goods

Operations are carried out in accordance with the PH.034 Accident Management Procedure. There are 1 medical personnel including 1 doctor and 24 first aid personnel. First aid personnel and medical personnel patch injured person up. If necessary, person is transferred to the nearest health center by ambulance. Duties of First Aid Personnel are to support persons who are injured, sick and shock, to patch them up, to transfer them to the nearest heath center. They are also responsible for making correct application until ambulance and medical personnel come to the accident area.

Following first aid applications are done in case of dangerous goods/chemicals accidents:

- The patient must be removed to the open air, oxygen is supplied. If necessary, oxygen tube is provided.
- The product name and exposure type is determined.
- a) If there is destruction on eye and body, they are washed with water.
- b) For preventing shock, the patient is kept warm, covered with a blanket if necessary.
- c) The patient must be sent to the infirmary, if necessary he is transferred without delay to the hospital. Material Safety Data Sheet (MSDS) are analyzed and these information is explained to the doctor.
- In accordance with all regulatory requirements Ministry of Labour is informed.
- In case of death, environment, equipment, materials or any other thing are not touched. Accident area is surrounded with safety bands in order to prevent interference and site responsibles are immediately notified.
- Relevant official bodies are notified about accident.

# 8.4. Necessary Inside and Outside Notifications In case of Emergency Situations

In case of emergency, sirens and announcements, 7777 emergency line are used and Medical Centre, ADME Team, First Aid Team, Site responsibles, Security Supervisors, Occupational Health and Safety, Environment Managers are notified. DT.002 Port Information Manual and PP.ADPEK.01 Emergency Plan Information include Terminal Emergency Contact Information. Operations are carried out in accordance with the PP.ADPEK.01 Emergency Plan and PH.034 Accident Management Procedure.

If you are unable to control fire, the fire department is notified.

In accordance with all regulatory requirements Ministry of Labour is informed.

Relevant official bodies (police soldier, police, fire department) are notified about suspected issues and traffic accidents immediately.

Kimyasal döküntü durumunda yangın tehlikesine karşı komşu tesisleri ve gemi trafiği nedeniyle Liman Başkanlığı ve MARE deniz temizlik firması, İl Çevre Müdürlüğü bilgilendirilir. In case of chemical spills, due to danger of fire neighboring facilities and due to shipping Port Authority and cleaning company MARE, provincial department of environment are informed.

# 8.5. Reporting Procedures of Accidents

Operations are carried out in accordance with the PH.034 Accident Management Procedure.

8.6. Coordination, Support and Cooperation Method with the Authorities
See Section 8.4.

# 8.7. Emergency Evacuation Plan for the Evacuation of Ships and Vessels

Refer to Ship Evacuation Scenario in case of Ship Fire, Ship Evacuation Scenario in case of Jetty Fire, Chemical Spills into the sea Scenario, Oil / Petroleum Spills into the sea Scenario in PP.ADPEK.01 Emergency Plan.

# 8.8. Procedures for the Handling and Disposal of Damaged Dangerous Goods and Wastes contaminated by Dangerous Goods

Dangerous waste operations are carried out according to PH.035 Environmental Operations Management Procedure and Waste Disposal Plan, TH.013 Waste Area Operating Instructions.

# 8.9. Emergency Practice and Their Records

If necessary, Emergency Response Team is trained by external organizations about fire prevention, firefighting, rescue and first aid operations and cooperation and organization with firefighters. Also with exercises, knowledge and skills are increased. In addition, all workers are trained how to use the fire fighting equipment and how to reach the fire department. Personel arasında iş bölümü ve müdahale hazırlıkları, malzeme kullanımı, haberleşmenin sağlanması için düzenli olarak tatbikatlar yapılır. Exercises are done regularly for work sharing, response preparation, use of materials and communication.

Facility manager is responsible for organization of exercises.

Following criteria in relation to the exercise is determined at exercise meeting.

- a. Exercise/Practice Area
- b. Exercise/Practice Date/Time
- c. Changes on Scenario
- d. Informedly or Uninformedly
- e. Persons who will informed
- f. The duties of team
- g. Observers and their places

Prepared exercise scenario should be close to real life as possible. These exercises cover emergency response team of the company, managers, employees and public or private organization team. General details of the exercise is located in the PP.ADPEK.01 Emergency Plan. In addition, 2 times a year, sea spill exercise is performed. Exercises are planned annually.

# 8.10. Information on Fire Protection Systems

Fire protection systems is discussed in TH.044 Instruction about Controls of Fire Prevention and Fighting Equipments.

# 8.11. Procedures for Approval, Control, Test, Maintenance and Availability of Fire Protection System

Related controls are carried out according to TH.044 Instruction about Controls of Fire Prevention and Fighting Equipments and checklists of this instruction, and TH.048 Fire Hose Testing and Maintenance Instruction.

# 8.12. Necessary Measures in case of Malfunction of Fire Protection System

According to TH.044 Instruction about Controls of Fire Prevention and Fighting Equipments and checklists of this instruction, OUT OF USE CARD is inserted to the inappropriate equipments. OHS Department, Project and Maintenance Department are informed and Removal of faults is provided as soon as possible.

## 8.13. Other Risk Control Equipments

Risk control equipments and their controls are discussed in PH.036 Legal Periodic Controls (Equipment\_Machine) Procedure and TH.044 Instruction about Controls of Fire Prevention and Fighting Equipments.

## 9. OCCUPATIONAL HEALTH AND SAFETY

# 9.1. Occupational Health and Safety Measures

Occupational Health and Safety Measures is discussed following procedures and instructions:

PH.034	ACCIDENT MANAGEMENT PROCEDURE
PH.036	LEGAL PERIODIC CONTROLS (EQUIPMENT_MACHINE) PROCEDURE
PH.039	RISK ASSESSMENT AND ENVIRONMENTAL IMPACT ASSESSMENT PROCEDURE
PH.040	PROCEDURE FOR MAKING BLUE COLLAR WORKERS ROUNDS AND TRANSFER TO HOSPITAL
PH.042	SITE AREA RESPONSIBILITIES PROCEDURE
PH.043	EKED PROCEDURE
PH.044	ENVIRONMENTAL AND SAFETY, ORGANIZATION, CLEANING PROCEDURE
TH.010	INSTRUCTION FOR PERSONAL PROTECTIVE EQUIPMENT IN OPEN AREA
TH.011	TRAFFIC SAFETY
TH.012	INSTRUCTION FOR SMOKING IN SITE AREA
TH.014	GENERAL SAFETY INSTRUCTIONS FOR TRUCK AND ROAD TANKERS
TH.015	INSTRUCTION FOR SAFE FORKLIFT USAGE
TH.016	INSTRUCTION FOR SAFE MOBILE CRANE USAGE
TH.017	INSTRUCTION FOR WORKING AT HEIGHT

TH.020	SAFETY AND BASIC COLOURS APPLICATION
TH.021	FIRE-FIGHTING EQUIPMENT USAGE
TH.022	EMPLOYMENT EXAMINATION
TH.023	HYGIENE INSTRUCTION IN THE WORKPLACE
TH.024	INSTRUCTION FOR ENTRANCE TO CLOSE AREAS
TH.025	EXCAVATION INSTRUCTION
TH.026	HOT WORK INSTRUCTION
TH.027	DISINFECTION CHEMICAL USAGE INSTRUCTION
TH.028	FIRST AID CABINET CONTROL INSTRUCTION
TH.029	AMBULANCE MAINTENANCE INSTRUCTION
TH.030	PERSONEL PROTECTION EQUIPMENT USAGE INSTRUCTION
TH.032	FIRE PREVENTION AND FIGHTING INSTRUCTION
TH.033	POLÍPORT LIQUID CARGO TERMINAL AUTOMATIC FIRE FIGHTING SYSTEM RESPONSE WITH WATER AND FOAM
TH.034	POLIPORT BLADER FILLING FOAM TO THE TANK
TH.035	POLİSAN HOLDİNG TANK ÇİFTLİKLERİ OTOMATİK KÖPÜKLÜ SİSTEM DELUGE (BASKIN) VANA KURULUM TALİMATI
TH.036	POLISAN HOLDING TANK FARMS AUTOMATIC FOAM FIRE FIGHTING SYSTEM AND DELUGE VALVES CONTROL AND TEST INSTRUCTION
TH.037	POLISAN HOLDING TANKS LATERAL AREA COOLING SYSTEM THAT HAS LIQUID SPRAY WITH NOZZLE USAGE INSTRUCTION
TH.040	FOAM CELLS OPERATING INSTRUCTION FOR POLIPORT TANK FARM 5, TANKS 78-79-80
TH.041	FOAM CELLS OPERATING INSTRUCTION FOR POLIPORT TANK FARM 5, TANKS 81-82-83-84
TH.042	FOAM CELLS OPERATING INSTRUCTION FOR POLIPORT TANK FARM 5, TANKS 85-86
TH.043	TANK POOL FOAM FIRE FIGHTING SYSTEM OPERATING INSTRUCTION FOR POLIPORT TANK FARM 5
TH.044	CONTROL INSTRUCTIONS FOR FIRE PREVENTION AND FIGHTING EQUIPMENTS
TH.045	WORK PERMIT INSTRUCTION
TH.046	FIRE DETECTION SYSTEM OPERATING INSTRUCTION
TH.047	AUTOMATIC FOAM SPRINKLER SYSTEM INSTRUCTION
TH.048	FIRE HOSE HYDROSTATIC TEST AND MAINTENANCE INSTRUCTION
	1

TH.049	DIESEL FIRE PUMP OPERATING INSTRUCTION
TH.212	FOAM FIRE FIGHTING SYSTEM OPERATING INSTRUCTION FOR POLISAN HOLDING TANKS
TH.213	FIRST AID INSTRUCTION FOR PHYSICAL AND CHEMICAL BURNS

# 9.2. Information about Personal Protection Equipments and Procedures for Usage of These Equipments

Personal Protection Equipment Usage is discussed in TH.030 Personel Protection Usage Instruction and TH.010 Instruction for Personel Protection Usage at Open Area.

### 10. OTHER ASPECTS

# 10.1. Dangerous Goods Compliance Certificate Validation

Poliport has 31.07.2022 Coastal Plant Temporary Operating Permit . Responsibles will apply for Dangerous Goods Conformity Certificate during the renewal process of Operating Permit. DGM.806497.KTTMUB.434. There is a Dangerous Goods Conformity Certificate depending on this document.

# 10.2. Responsibilities of Dangerous Goods Safety Advisor

Dangerous Goods Safety Advisor training, examination, authorization, duties, and responsibilities related matters are determined by the Ministry. In this regard, ADR Dangerous Goods Safety Advisor job description is as follows:

- To ensure monitoring compliance with the obligation for carriage of dangerous goods.
- To provide advice to facilities on transport of dangerous goods.
- Preparation of annual reports, keeping 5 years and submission to the related departments if requested.
- To control procedures for the detection of dangerous goods.
- To control special requirements for transport vehicles related to dangerous goods.
- To provide control methods for equipments related to transportation, loading, unloading of dangerous goods.
- To provide proper training and information to the employees, and to keep record of training.
- To implement appropriate emergency procedures in case of accident during carriage of dangerous goods, loading and unloading.
- To carry out research on accident occurred during transportation, loading or unloading of dangerous goods, and to prepare report about accident. To take necessary measures against recurrence.

- To take into account legal rules regarding selection of suppliers or subcontractors transporting dangerous goods.
- To prepare and implement security plans according to dangerous goods properties.
- To follow the regulations on the management of chemicals.
- To carry out operations in accordance with the relevant regulations on the management of chemicals and to guide about this issue.
- To monitor developments related to the management systems of the company and to ensure compliance.

# 10.3. Aspects for Transporter/Carrier of Incoming/Forwarded Dangerous Goods by Road

Handled products Poliport Liquid Cargo Terminal are products that are shipped to the Poliport by sea in bulk and in the form of isocontainer and stored in tanks. After storage process these products are transported with road tankers to the customer that is determined by product owner. Therefore, dangerous goods are transported in package. These dangerous goods are subject to (ADR) Regulation during the carriage of dangerous goods by road tanker.

Road tankers are tankers to be directed by product owner to our site. Thus, before tankers or trucks enter to the site, controls are carried out according to section 5.2 of ADR and other technical criteria. These checks are done daily and monthly according to TH.014 checklists. Sample checklists including labeling and other technical criteria are as follows:

<u> </u>			
<b>Poliport</b>	TANKERLER İÇİN GENEL EMN	IYET KONTROL FORMU	
NAKLİYECİ FİRMA	:		
ARAÇ PLAKASI	:	TARİH: / /	
SÜRÜCÜ ADI SOYADI	:	IBINIT. / /	
TANKER EMNİYET KONTROL KAR	RTNO:		
	SÜRÜCÜ KİŞİSEL KORUYUCU EKİPMANLAR	EVE EVE	T HAYIR
A) Baret var mı ?	D) Google tip tam sızdırmaz koruyucu g	özlük var mı ?	
B) İş eldiveni var mı ?	E) Yarım yüz gaz maskesi var mı ?		
C) İş elbisesi var mı ?	F) Antistatik iş emniyet ayakkabısı var n	ni ?	
1-Sürücünün geçerli ve uygun te	ehlike sınıfında bir ADR sertifikası,ehliyeti ve fotoğr	aflı kimliği var mı?	
2-Sürücü fiziksel ve zihinsel olar	rak iyi durumda mı? Uykusuz ve alkollü olmamalıdır		
3-Sürücü sigortalı mı? Sigorta bi	ldirimi var mı?		
	TANKER GENEL EMNİYET TEDBİRLERİ	_	
4-Tanker üst kapakları sızdırmaz	durumda mı? conta vb. sızdırmazlık elemanları sağ	lam mı?	
5- Egzost borusunun kasadan izo	olasyonu ve dışarı verilme şekli uygun mu? <mark>ALEV G</mark>	ZLEYİCİ var mı?	
6- Topraklama lamasının malzem	esi ve tanka bağlantısı uygun mu? KAYNAK BAĞLAI	NTILI OLMALI	
7- Elektrik donanımı uygun mu ?	Kısa devre,kontak yapmayacak,kıvılcım oluşturmaya	acak şekilde olmalıdır.	
8-Farlar,sinyal lambaları ve ayna	ları sağlammı ,çalışıyor mu ?		
9-Akü ve akü muhafaza kabini uy	gun durumda mı?		
10- Akü şalteri çalışır durumda m	ıı? Kapalı durumda iken devre dışı düzeni ikaz laml	əaları devreden çıkıyor mu?	
11-Yakıt tankı akü yakıt tankında	n ayrı, sızdırmaz ve yeterince korumalı mı?		
12- Yangın söndürücüleri mevcu	ıt mu? Mühürlü ve kullanma tarihleri güncel mi?		
13- Lastikler sağlam mı, mevsime	e göre kış lastiği gerekiyor mu? ; Stepne,Takoz, üçg	en reflektör ve EXPROOF el fe	

14- Araç arkasına monte	edilmiş şekilde DOLU-BOŞ uyarı levhası var mı?		
15- Araç ve tank üzerind	e taşınacak kimyasal maddeye ait TEHLİKE İŞARETİ ve UN numarası var mı?		
16-Geçerli Karayolları M model yılı nedir?			
17-İlgili bakanlık tarafınd			
18- Araç üzerinde taşıyıc	ı firma etiket bilgileri ve tel. no yazılı mı?		
19- Tahliye vanalarında l	(ÖR TAPA var mı?		
	mum 2 adet, seri bağlanmış, birbirinden bağımsız kapama cihazı ile donatılmış mı? Tank mümkün olduğunda tank gövdesine yakın ve korunaklı mı?		
21- Manifolt toplama haz	nesi ürün sızdırmazlığı şağlanmış mı?		
22- Tank üzerinde TEHLİ	KELİ MADDE / KİMYEVİ MADDE yazıları ve KIRMIZI BEZ BAYRAK var mı?		
23- Tankın GÜNCEL HİDF	OSTATİK BASINÇ TEST SERTİFİKASI var mı?		
24- Tankın Akredite kuru durumunda göz göz kap	luştan muayene sertifikası var mı? Bu sertifikada toplam kapasite ve göz olması asiteler yer almalıdır.		
25- Tank üzerinde dara ( üzerindekiler ile uyuşuy	Kg), toplam kapasite (m³) ve göz bölme kapasiteleri yazılı mı? Bu bilgiler araç or mu?		
26- Tank üzerinde üst ha	vuz gider hotumları varmı ? Hortum ucunda emniyet vanası mevcut mu?		
27- Tank ve kasa herhar	gi bir ezilmeye maruz kalmamış,sağlam,kontrüksüyon güvenilir durumda mı?		
28- Tank şasi bağlantısı	uygun mu?		
29- Aracın ruhsatında sü	resi geçmemiş fenni muayene ve egzost emisyon test vizesi var mı?		
	espit Belgesi ya da Taşıt/ADR Uygunluk Belgesi sertifikası var mı? ADR Uygunluk Belgesi ibidir. ADR Uygunluk Belgesi geçiş süresine göre olmayan araçlarda Taşıt Durum Tespit ur.		
31- Sürücü mahallinde ta	ışınan maddeye ait ürün bilgi formu var mı ?		
32- Kabinde olması gere	ken ekipmanlar mevcut mu? (Emniyet kemeri, takograf, ilk yardım çantası)		
			•
	van tedarikçiye ait belgelerin varlığı kontrol edildi mi, sorgulandı mı? belgesi/Yetki belgesi, Tehlikeli Maddeler ve Tehlikeli Atık Zorunlu Mali Sorumluluk		
EK: ADR UYGUNLUK BEL	.GESİ KONTROLÜ		
TAŞIT MODEL YILI	ADR/TAŞIT UYGUNLUK BELGESİ İÇİN SON TARİH		
2014 ve öncesi model		•	
yılına sahip olanlar AÇIKLAMALAR :	1.07.2020		L
AÇINLAMALAN.			
	ne / boşaltma alanlarında yetkililerin vereceği talimatlar dahilinde hareket edeceğimi,bana v yet kurallarına uyacağımı kabul ve taahhüt ederim.	verilen bilgi	
	ARAÇ SÜRÜCÜSÜ		

Poliport  GUNLUK TANKER VE SÜRÜCÜ EMNİYET KONTROL FORMU					
NAKLİYECİ FİRMA :					
ARAÇ PLAKASI : T	TARİH: / /				
SÜRÜCÜ ADI SOYADI :					
KONTROL EDİLEN EMNİYET TEDBİRLER	i EVE	HAYIR			
1- Topraklama lamasının malzemesi uygun mu?Tanka kaynak bağlantısı var mı?					
2- Akü şalteri çalışır durumda mı?					
3- Araçta alev gizleyici aparatı var mı ?					
4- Tahliye vanalarında kör tapa var mı ? Vanaların çalışır durumda ve kapalı olduğunun kor	ntrolü yapıldı mı?				
5- Boşaltım vanası minimum 2 adet, seri bağlanmış, birbirinden bağımsız kapama cihazı ile donatılmış mı? Tank üzerinde bulunan vana mümkün olduğunda tank gövdesine yakın ve korunaklı mı?					
6- Menhol kapakları kapalı mı?					
7- Melas kapağı olan bir tanker ise melas kapağı körlenmiş mi? (Poliport bu maddenin dı kapağı bulunan araçlar dolum için giremez.)	şındadır; Poliport tesisine Melas				
8- Taşınacak TEHLİKELİ kimyasal maddeye ait tehlike işareti ve UN numarası (turuncu pla	aka) var mı ?				
9- İlgili bakanlık tarafından lisanslandırılmış temizleme tesisinden alınmış tanker temizlik belgesi var mı?					
10- İki adet dikilebilir uyan işareti ve takoz var mı?					
	·				
11- Kum veya başka emici materyal var mı?					
12- Kanalizasyon-drenaj örtüsü var mı?(ADR ye tabi, tehlikeli Sınıf 3, 4.1, 4.3, 8 veya 9'a s	sahip katılar ve sıvılar için gereklidir.)				
13- Kürek var mı? (ADR ye tabi tehlikeli, Sınıf 3, 4.1, 4.3, 8 veya 9'a sahip katılar ve sıvılar için gereklidir.)					
14- Toplama kabı var mı? (ADR ye tabi, tehlikeli Sınıf 3, 4.1, 4.3, 8 veya 9'a sahip katılar ve sıvılar için gereklidir.)					
15- Trafik uyarı yeleği var mı?					
16- Exproof el feneri var mi?					
17- Sürücünün geçerli ve uygun tehlike sınıfında bir ADR Sertifikası,ehliyeti ve fotoğraflı kimliği var mı?					
Fiziksel olarak iyi durumda mı?  18- Sürücüye ait İşyeri Hekiminden Onaylı Yüksekte Çalışabilir Belgesi, Çok Tehlikeli İşlerde Çalışabilir Belgesi var mı?					
19- TDI ve MDI ürünleri taşıması durumunda Sürücüye ait ISOPA Ehliyeti var mı?					
20- Baret var mı ?					
21- Goggle tip tam sızdırmaz koruyucu gözlük var mı ?					
22- İş elbisesi var mı ? (Pamuklu tip kumaştan imal iş elbisesi ve üzerinde firma adı yazısı)					
23- İş eldiveni var mı ?					
24- Yarım yüz gaz maskesi var mı ?					
25- Antistatik tabanlı iş emniyet ayakkabısı var mı ?					
26- Emniyet kemeri var mı?					
27- Göz yıkama solüsyonu var mı? (ADR ye tabi, tehlikeli Sınıf 1, 1.4, 1.5, 1.6, 2.1, 2.2 ve 2.3 için gerekli değildir.)					
28- Yangın söndürücüleri mevcut mu? Mühürlü ve kullanma tarihleri güncel mi?					
29- Aracın Taşıt Durum Tespit Belgesi ya da Taşıt/ADR Uygunluk Belgesi sertifikası var m	nı? ADR Uygunluk Belgesi için geçiş tarihi				

30- Sürücü mahallinde ADR'ye	e Göre yazılı talimat var mı?			
31- Tankın Akredite kuruluştan göz göz kapasiteler yer almalı	muayene sertifikası var mı? Bu sertifikada toplam kapasite ve göz olması durumunda dır.			
32- Tankın Akredite kuruluştan uyuşuyor mu?	muayene sertifikasında yer alan kapasiteler araç üzerinde yazıyor ve bu bilgiler araç üzerindekiler ile			
EK: ADR UYGUNLUK BELG	SESİ KONTROLÜ			
ADR/TAŞIT UYGUNLUK BELGESİ İÇİN SON TARİH TAŞIT MODEL YILI				
2014 ve öncesi model yılına sahip olanlar	1.07.2020			
33- ADR' ye göre yazılı talimatı	İSG Tanker / Güvenlik Kontrol Biriminden teslim aldım.	: İMZA		
Fabrika sahası ve yükleme / boşaltma alanlarında yetkililerin vereceği talimatlar dahilinde hareket edeceğimi,bana verilen bilgi kartlarındaki genel emniyet kurallarına uyacağımı kabul ve taahhüt ederim.  ARAÇ SÜRÜCÜ ADI SOYADI ve İMZASI				
ÍSG TANKER KONTROL / GÜVENLÍK KONTROL				

# 10.4. Aspects for Transporter/Carrier of Incoming/Shipped Dangerous Goods by Sea

These issues are defined in the Port Regulations. Operations are carried out in accordance with it.

# 10.5. Additional Aspects

There are no additional aspects.

# **APPENDIX**

# 1. General Layout of Port



# 2. General Overview Photos of Port




Figure 1.1 External View of Facility 1



Figure 1.2 External View of Facility 2



Figure 1.3 Bounded Warehouse Area




Figure 1.4 Dry Cargo Area

# 3. Emergency Contact Points and Contact Information

# **EMERGENCY CONTACT LIST OF POLIPORT**

### **TERMINAL**

# PHONE NUMBER

FIRE CALL	444
FIRST AID (DOCTOR/INFIRMARY)	555-162
TERMINAL MANAGER	207
WAREHOUSE AND CUSTOMER SERVICE MANAGER	233
OPR. and PLANNING MANAGER	269
OHS MANAGER	345
QUALITY ENVIRONMENTAL MANAGER	181
PROJECT AND MAINTENANCE MANAGER	308
OPR. MANAGER AND OFFICERS	273-381-380-335-384-385
SHIPPING MANAGER	222
POLIPORT SECURITY OFFICERS	147
POLIPORT ELECTRICAL TECHNICIANS	387
POLİSAN GATE / SECURITY	198 -199
PORT SECURITY MANAGER	347
POLIPORT DRY CARGO PORT MANAGER	161

# **ENVIRONMENTAL EMERGENCY PHONE CONTACT LIST**

# **GENERAL**

FIRE CALL	110
FIRST AID	112
POLICE EMERGENCY LINE	155

# **COMMUNICATION CENTERS**

DİLOVASI FIRE DEPARTMENT	0.262.754 63 45
GEBZE FIRE DEPARTMENT	0.262.641 30 81
İZMİT FIRE DEPARTMENT	0.262.335 21 24
TÜPRAŞ	0.262.527 06 60
SOLVENTAŞ	0.262.754 77 00
DİLOVASI DISPANSERY	0.262.754 51 19
İZMİT SSK (Social Insurance Institution)	0.262.322 34 60
DİLOVASI POLICE SOLDIER	0.262.754 52 14
İZMİT PORT AUTHORITY	0.262.528 37 54
DARICA PILOT	0.262.745 00 36
GEBZE General Directorate of Civil Defence	0.262.641 33 18
ÇOLAKOĞLU METALLURGY	0.262.754 84 00
YILPORT	0.262.679 76 00
ALEMDAR CHEMISTRY	0.262.754 76 00
ALTINTEL A.Ş	0.262.754 51 68
SOPALI SSK HOSPITAL	0.262.233 54 90
MED MARINE	0.262.754 66 06
MEKE ( SHORE CLEANING COMPANY)	0.212.292 34 70
TOTAL	0.262.754 71 85-86
GEBZE SSK HOSPITAL	0.262.641 16 10
INSTITUTE OF HYGIENE	0.312.435 46 02
KOCAELİ GOVERNOR'S CITY AND ENVIRONMENTAL PROVINCIAL DIRECTORATE	0262 325 31 85-86

# 4. General Layout of the Handling Area of Dangerous Goods

See the General Layout. Tank farm are area where dangerous goods are located in.

# 5. Fire Plan of the Handling Area of Dangerous Goods

Area where dangerous goods are handled in is Poliport Liquid Cargo Terminal. Poliport Liquid Cargo Terminal tank farm that is mentioned in Article 6 contains this field.

# 6. General Fire Plan of Port

It is given as Annex.


# 7. Emergency Response Plan

PP.ADPEK.01 Emergency Response Plan



# 8. Plan for Emergency Meeting Points (1) KANTAR

# 9. Emergency Management Diagram



# 10. Dangerous Goods Handbook

Poliport has handbook for the Poliport staff. In addition there is procedure for dangerous goods in the ISPS Code Port Facility Security Plan.

# 11.Leakage Area and Equipment, Input/Output Drawings for CTU and Packages

Packaged dangerous goods loading for shipping by sea is not carried out Poliport Liquid Cargo Terminal.

# 12. Inventory of Ships Provided Service by Port

General Cargo Ship

**Bulk Carrier** 

Oil / Product Tanker

Chemical tankers are provided.

In addition, tugboats belonging to the company under the contract made with Sanmar Shipyard Company are as follows:

ADI	IMO NO	TYPE	İNŞAA YILI	ÇEKİCİ GÜCÜ MT	MAKİNE kW	MK. MODEL	FI-FI (cbm/h)	SPEED (knots)
BOĞAÇAY VIII	9766994	AÇIK DENİZ RÖMORKÖRÜ		78,65 MT			1392 cbm/h	
BOĞAÇAY XXI	9771250	AÇIK DENİZ RÖMORKÖRÜ		60 MT			1200 cbm/h	
BOĞAÇAY XXXVIII	9803986	AÇIK DENİZ RÖMORKÖRÜ		70 MT			1200 cbm/h	
SANMAR TERMINAL XXV	9863924	AÇIK DENİZ RÖMORKÖRÜ		79,27 MT			2764 cbm/h	
SIRAPINAR VIII	9850513	AÇIK DENİZ RÖMORKÖRÜ		51,35 MT			-	
YENİÇAY X	9873864	AÇIK DENİZ RÖMORKÖRÜ		30,61 MT			600 cbm/h	
HİSARÖNÜ	-	AÇIK DENİZ RÖMORKÖRÜ		32 MT			180lt/h	

# 13. Coordinates of Port Authority Administrative Boundaries, Mooring Places and Maritime Pilots Landing/Boarding Points

40° 46° 10" K-029° 31° 20" D

# 14. Marine Pollution Emergency Response Equipments

PP.ADPEK.01 Poliport Emergency Plan includes scenarios related to marine pollution. This scenario is as follows:

Scenario: Chemical Spillage to the Sea.

Scenario: Oil/Petrol Etc. Spillage to the Sea.

Equipments located in Emergency Control Center for Environmental Accidents:

- Emergency Plans
- Emergency telephone numbers
- Coastline and marine maps
- Telephone, radiotelephone
- Stationery equipment
- Oil-spill team list
- Oil- spill equipment list

In addition, equipments belong to MARE Sea Cleaning company are used in emergency response.

MARE - DİLOVASI REGION						
Mare Contact Number	Recep Küçükalev	0 532 446 82 19				
Mare Contact Number	Özhan Kıraç	0 549 791 97 40				
Mare Re	Mare Region Total Equipment					
Manual Drum Fence Type Barrier		1250 metre				
Inflatable Barrier		360 metre				
Maresorb Sorbent Barrier		1072 metre				
Maresorb Sorbent Pad		5900 piece				
Oil Scraper (Skimmer) Set						
Floating Storage Tank						
Mobile Storage Tank						
Drum		11 piece				
Pressure Washer (Hot-Cold)						
Inflatable Boat and Engine						

Poliport Emergency Response Plan Level 1 Equipment					
Equipment Name	Level 1 Quantity	Facility	Mare		
Container			1 piece		
Blocking Barrier	600 metre	1200 m	125 metre		
Drum	3 piece	4 piece			
Skimmer (15 m³/h)	2 piece		1 piece Elastec 37 m³/h		
Sorbent barrier	360 metre	1020 m	516 metre		
Sorbent pad	2000 piece	1890 piece	2200 piece		
Inflatable boat	1 piece		1 piece		
Floating Storage Tank	15 m³		1 piece 15 m³		
Mobile Storage Tank	15 m³		1 piece 15 m³		

# 15. Personal Protection Equipment Usage Map

See FTH.030-02.00 Personal Protection Equipment Usage Matrix. In addition, TH.030 Personal Protection Equipment Usage Instruction and TH.010 Instruction for Personal Protection Equipment Usage in Open Area include information about this issue.

# 16. Notification Form for Occurence Involving Dangerous Goods

Packaged form of dangerous goods is not transported from Poliport Terminal. When an event involving dangerous substances occurs, ship captain or any other party concerned will report to the nearest legal state. Related reporting is made to the Official

Authorities. In addition, form that is appendix of PH.034 Incident Management Procedure (FPH.034-04.00 Near Miss Notification Form) and system are used for keeping records. Notification is done according to PT.012 Liquid Bulk Dangerous Loads Safe Handling Operation Procedure and Safe Handling of Dangerous Solid Bulk Cargoes Operation Procedure.

# 17. Notification Form for Dangerous Goods Transportation Unit (CTUs) Control Results

Packaged dangerous goods loading for shipping by sea is not carried out Poliport Liquid Cargo Terminal.

# 18. Other Necessary Appendixes

Line details are communicated to relevant authorities.

